Island Packet L24 Family Launches®

L24 Standard Features (all models)

Hull and Deck

- ★ One-piece integral hull and keel of 100% hand laminated high modulus knitted fiberglass infused with a proprietary pressure-fed application system. Light ivory gelcoat with urethane painted boot and cove stripe in Carinthia Blue
- ★ PolyClad3® hull gel system includes 10-year pro-rated limited warranty against osmotic blisters
- ★ Deck laminate features Island Packet Yachts' exclusive PolyCore®, virtually eliminating the potential for deck deterioration associated with other core materials. Includes a 10-year prorated limited warranty against deck core degradation or delamination, an industry exclusive
- ★ One-piece deck attached to hull flange with stainless steel fasteners and urethane adhesive sealant. Vinyl rubrail covers hull to deck joint. Hardware backed with aluminum plates where required
- ★ Flush mount stainless steel cleats (4), hideaway fold out stainless steel swim ladder on aft deck, socket and staff for flag, flush mount running lights
- ★ Molded in anchor locker with hatch, stainless steel anchor roller and mooring bit

Cockpit

- ★ Slip resistant fiberglass sole throughout
- ★ Deluxe full length wrap around seating forward and full width helm seat aft with 4" foam bottom cushions and 2" back cushions covered in a selection of fine marine fabrics and vinyls; storage lockers below
- ★ Varnished sapele snack table on removable pedestal
- ★ Galley sink with solid acrylic countertop and sink cover, storage cabinet, 12 volt outlet for accessories and shorepower electrical outlet
- ★ Varnished solid hardwood (sapele) trim and cabinetry in galley/helm area
- ★ Pressure water (cold only) system with faucet at galley sink and stern platform shower
- ★ Portable head unit with pop-up canvas enclosure allows for privacy/changing booth
- ★ Indirect LED cockpit courtesy lights

Helm

★ Full width aft helm seating faces instrument panel, motor/engine controls, gauges, compass and solid wood tilt steering wheel and "glove compartment" storage. Solid varnished sapele trim

Electrical

- ★ All wiring throughout is pre-tinned 600 volt marine cable; color coded and numbered
- ★ 30 amp dockside AC power system with ELTI ground fault protection breaker and 50 foot shore power cord, outlet in galley/helm area cabinet
- ★ Automatic battery charging system (for use with dockside power)
- ★ Automatic electric bilge pump, high water alarm

L24_E Standard Equipment

- ★ Mastervolt 6.5kW 48 volt PodMaster Professional steerable e-propulsion unit with stainless steel housing, programmable digital controls, key switch and Control Master throttle control; three-bladed propeller, zinc
- ★ Eight Mastervolt 6-volt 400 amp hour maintenance-free AGM batteries for a run time of 4-6 hours depending on throttle settings. Battery monitor in Mastervolt digital display
- ★ Two Mastervolt 24 volt 20 amp onboard battery chargers

L24_E Optional Equipment

- ★ Eight additional Mastervolt 6-volt 400 amp hour maintenance-free AGM batteries for additional running time (8-10 hours total depending on throttle settings). Two 24 volt 40 amp battery chargers in lieu of standard
- ★ 450 watt solar-assist package (requires hard-top canopy and arches)
- ★ 3.5 kW diesel generator with sound-shield for extended range, provides 110v AC power away from dock (required for air conditioning option). Includes engine start battery, 18 gallon fuel tank and fuel/water separator/fuel filter

L24_D Standard Equipment

- ★ 14 HP Yanmar 2YM15 diesel two-cylinder engine, fresh water cooled "V"-drive with rubber isolation mounts on reinforced fiberglass bed, 55 amp Hitachi alternator, mechanical fuel pump, jacketed fuel lines with swedged and threaded fittings, intake strainer, fuel filter
- ★ 18 gallon aluminum fuel tank constructed of welded, baffled marine-grade aluminum with shut off valve, s/s deck fill, dash mounted fuel gauge
- ★ Bow thruster: 2.5kW Vetus

- ★ Fuel water separator/fuel filter
- ★ One 12-volt deep cycle AGM engine start battery; doubles as house battery

L24_D Optional Equipment

- ★ Second house battery
- ★ 3.5 kW diesel generator with sound-shield provides 110v AC power away from dock (required for air conditioning option)

L24 Optional Equipment (all models)

- ★ Double stainless steel bowed bimini for helm area in choice of Sunbrella colors, storage boot
- ★ Full length bimini top (second double bow bimini top forward with connector canvas)
- ★ Sunbrella cover for helm/galley unit (recommended for non-hardtop equipped boats
- ★ Fiberglass canopy with remote control electric lift system; doubles as a cockpit cover when lowered; stainless steel double arch support
- ★ Cockpit Eisenglass side curtains for complete enclosure (available w/hardtop or full length bimini options only)
- ★ Electric flush marine head in lieu of standard with holding tank and deck discharge
- ★ Macerator pump for overboard discharge of optional marine head holding tank
- ★ Refrigerated drawer in galley (deletes storage cabinet in galley)
- ★ Woven marine mat throughout cockpit available in a variety of colors
- ★ Simulated teak and holly flooring throughout cockpit and transom
- ★ Custom hull color (gelcoat) and custom boot stripe color (paint)
- ★ Air conditioning/reverse cycle heating (genset and side curtain options only)
- ★ Sony Marine stereo system AM/FM, iPod/iPhone/Android/Bluetooth compatible with 4 twin cone marine speakers
- ★ Raymarine Dragonfly 5.7 GPS/Fish finder/depth sounder at helm